

TSG INTERNATIONAL AG
BÜLACHSTRASSE 5 | 8057 ZÜRICH | SWITZERLAND

Sample Description : HELMET
Item No. : KRAKEN YOUTH (TSG10-C-ZF), KRAKEN (TSG10-Y-FP)
Buyer : TSG INTERNATIONAL AG
Manufacturer : NINGBO TIANQI TECHNOLOGY CO., LTD.
Country of Origin : MADE IN CHINA
Country of Destination : AUSTRIA
Other Info : SIZE:XXS/XS 52--54cm, & S/M 54-56cm, & L/XL 57-59cm

As above test item and its relevant information regarding to the submission are provided and confirmed by the applicant. SGS is not liable to either the test item or its relevant information, in terms of the accuracy, suitability, reliability or/and integrity accordingly.

Size : 52cm-54cm, 54cm-56cm, 57cm-59cm
Tested age grade : 5 AND OLDER
HPI (from reference plane) : 52cm-54cm: 12mm FOR E ISO
54cm-56cm: 12mm FOR E ISO
57cm-59cm: 13mm FOR J ISO
Sample Receiving Date : Apr 20, 2021
Test Performing Date : Apr 20, 2021 to May 08, 2021
Test Performed : CPSC 16 CFR Part 1203
Test Result(s) : For further details, please refer to the following page(s)

Signed for and on behalf of
SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch



Arthur Mak
Authorized Signatory



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch Testing Center Hierolines

198 Kazhu Road, Sciencetech Park Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075191 www.sgsgroup.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075191 e sgs.china@sgs.com

Test Conducted: Based on CPSC 16 CFR Part 1203 Safety Standard for Bicycle Helmets

Number of Tested Sample: 24 piece(s)

Test Results: Details shown as following table

Subpart A —The Standard

Clause	Test Item / Test Requirement / Test Method	Test Result
1203.5	Construction requirements – projections. Any unfaired projection extending more than 7 mm (0.28 in.) from the helmet’s outer surface shall break away or collapse when impacted with forces equivalent to those produced by the applicable impact-attenuation tests in § 1203.17 of this standard. There shall be no fixture on the helmet’s inner surface projecting more than 2 mm into the helmet interior.	Pass
	Labeling and instructions	
1203.6	(a) Labeling	
	Each helmet shall be marked with durable labeling so that the following information is legible and easily visible to the user:	Pass
	(1) Model designation.	Pass
	(2) A warning to the user that no helmet can protect against all possible impacts and that serious injury or death could occur.	Pass
	(3) A warning on both the helmet and the packaging that for maximum protection the helmet must be fitted and attached properly to the wearer’s head in accordance with the manufacturer’s fitting instructions.	Pass
	(4) A warning to the user that the helmet may, after receiving an impact, be damaged to the point that it is no longer adequate to protect the head against further impacts, and that this damage may not be visible to the user. This label shall also state that a helmet that has sustained an impact should be returned to the manufacturer for inspection, or be destroyed and replaced.	Pass
	(5) A warning to the user that the helmet can be damaged by contact with common substances (for example, certain solvents [ammonia], cleaners [bleach], etc.), and that this damage may not be visible to the user. This label shall state in generic terms some recommended cleaning agents and procedures (for example, wipe with mild soap and water), list the most common substances that damage the helmet, warn against contacting the helmet with these substances, and refer users to the instruction manual for more specific care and cleaning information.	Pass
(6) Signal word. The labels required by paragraphs (a) (2) through (5) of this section shall include the signal word “WARNING” at the beginning of each statement, unless two or more of the statements appear together on the same label. In that case, the signal word need only appear once, at the beginning of the warnings. The signal word “WARNING” shall be in all capital letters, bold print, and a type size equal to or greater than the other text on the label.	Pass	
	(b) Instructions	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company’s findings at the time of its intervention only and within the limits of Client’s instructions, if any. The Company’s sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Clause	Test Item / Test Requirement / Test Method	Test Result
	Each helmet shall have fitting and positioning instructions, including a graphic representation of proper positioning	Pass
1203.12	Test requirements	
	(a) Peripheral vision All bicycle helmets shall allow unobstructed vision through a minimum of 105° to the left and right sides of the mid-sagittal plane when measured in accordance with § 1203.14 of this standard.	Pass See annex 1
	(b) Positional stability No bicycle helmet shall come off of the test headform when tested in accordance with § 1203.15 of this standard.	Pass See annex 2
	(c) Dynamic strength of retention system All bicycle helmets shall have a retention system that will remain intact without elongating more than 30 mm (1.2 in.) when tested in accordance with § 1203.16 of this standard.	Pass See annex 3
	(d) Impact attenuation criteria (1) General. A helmet fails the impact attenuation performance test of this standard if a failure under paragraph (d)(2) of this section can be induced under any combination of impact site, anvil type, anvil impact order, or conditioning environment permissible under the standard, either with or without any attachments, or combinations of attachments, that are provided with the helmet. Thus, the Commission will test for a “worst case” combination of test parameters. What constitutes a worst case may vary, depending on the particular helmet involved. (2) Peak acceleration. The peak acceleration of any impact shall not exceed 300 g when the helmet is tested in accordance with § 1203.17 of this standard.	Pass See annex 4

Subpart B—Certification

1203.34	Product certification and labeling by manufacturers (including importers)	
(b)	Contents of certification label.	
	The certification labels required by this section shall contain the following:	Pass
	(1) The statement “Complies with U.S. CPSC Safety Standard for Bicycle Helmets for Persons Age 5 and Older” or “Complies with U.S. CPSC Safety Standard for Bicycle Helmets for Persons Age 1 and Older (Extended Head Coverage)”, as appropriate; this label may spell out “U.S. Consumer Product Safety Commission” instead of “U.S. CPSC”;	Pass
	(2) The name of the U.S. manufacturer or importer responsible for issuing the certificate or the name of a private labeler;	Pass
	(3) The address of the U.S. manufacturer or importer responsible for issuing the certificate or, if the name of a private labeler is on the label, the address of the private labeler;	Pass
(4) The name and address of the foreign manufacturer, if the helmet was manufactured outside the United States;	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

	(5) The telephone number of the U.S. manufacturer or importer responsible for issuing the certificate or, if the name of a private labeler is on the label, the telephone number of the private labeler;	Pass
	(6) An identification of the production lot; and	Pass
	(7) The uncoded month and year the product was manufactured.	Pass
	Coding	
(c)	(1) The information required by paragraphs (b) (4) and (b) (6) of this section, and the information referred to in paragraph (c) (2) of this section, may be in code, provided:	NA
	(i) The person or firm issuing the certificate maintains a written record of the meaning of each symbol used in the code, and	
	(ii) The record shall be made available to the distributor, retailer, consumer, and Commission upon request.	
	(2) A serial number may be used in place of a production lot identification on the helmet if it can serve as a code to identify the production lot. If a bicycle helmet is manufactured for sale by a private labeler, and if the name of the private labeler is on the certification label, the name of the manufacturer or importer issuing the certificate, and the name and address of any foreign manufacturer, may also be in code.	
(d)	Placement of the label(s) The information required by paragraphs (b)(2), (b)(3), and (b)(5) of this section must be on one label. The other required information may be on separate labels. The label(s) required by this section must be affixed to the bicycle helmet. If the label(s) are not immediately visible to the ultimate purchaser of the bicycle helmet prior to purchase because of packaging or other marketing practices, a second label is required. That label shall state, as appropriate, "Complies with U.S. CPSC Safety Standard for Bicycle Helmets for Persons Age 5 and Older", or "Complies with U.S. CPSC Safety Standard for Bicycle Helmets for Persons Age 1 and Older (Extended Head Coverage)". The label shall be legible, readily visible, and placed on the main display panel of the packaging or, if the packaging is not visible before purchase (e.g., catalog sales), on the promotional material used with the sale of the bicycle helmet. This label may spell out "U.S. Consumer Product Safety Commission" instead of "U.S. CPSC."	Pass

Remark: 1. NA = Not applicable.
2. NT = Not tested as per client's request.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Impact attenuation instrument system check:

Systems check	Trial drop	Drop Height (cm)	VEL. m/sec	Milliseconds at		
				Peak G	150 g	200 g
Pre-test	1	160.1	5.47	404.3	2.64	2.22
	2	159.8	5.48	401.9	2.63	2.23
	3	160.4	5.44	399.6	2.66	2.22
Pretest average		--	--	401.9	--	--
Post test	1	160.2	5.48	402.6	2.65	2.24
	2	160.6	5.46	403.2	2.63	2.22
	3	160.1	5.49	401.8	2.64	2.23
Post test average		--	--	402.5	--	--
Difference between pretest and post test averages				0.6g	Difference not to exceed 5%	

Model: Kraken Youth (TSG10-C-ZF)

Size: 52-54 cm

Head form: E ISO

HPI (from reference plane): 12 mm

Annex 1: Peripheral vision test

Test Specification: 16 CFR Ch.II (1-1-16 Edition) PART 1203.14

Ambient temperature at time of test: 23.5 °C

Condition	Horizontal vision	Result
Ambient No. 1	>105°	Pass

Annex 2: Positional stability test

Test Specification: 16 CFR Ch.II (1-1-16 Edition) PART 1203.15

Ambient temperature at time of test: 23.5 °C

Condition	Come off or not		Result
Ambient No. 5	From rear	Not come off	Pass
	From front	Not come off	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Annex 3: Retention system strength

Test Specification: 16 CFR Ch.II (1-1-16 Edition) PART 1203.16

Ambient temperature at time of test: 23.5 °C

Condition	Elongation (mm)	Result
Ambient condition No.1	21.3	Pass
High temperature No.2	18.2	Pass
Low temperature No. 3	15.9	Pass
Water immersion No.4	17.8	Pass

Annex 4: Impact energy attenuation test

Test Specification: 16 CFR Ch.II (1-1-16 Edition) PART 1203.17

Ambient temperature at time of test: 23.5 °C

Condition	Sample Mass (g)	Anvil	Impact Loc.	Vel.-m/sec	Peak'G	Result
Ambient Condition No.1	467	Flat	Crown	6.21	249.1	Pass
		Flat	Left	6.21	226.3	Pass
		Hemispherical	Left front	4.80	161.7	Pass
		Hemispherical	Right rear	4.79	100.8	Pass
High Temperature No.2	475	Flat	Front	6.25	223.0	Pass
		Flat	Rear	6.28	186.8	Pass
		Hemispherical	Crown	4.80	97.5	Pass
		Hemispherical	Left	4.81	116.0	Pass
Low Temperature No.3	471	Flat	Crown	6.21	278.1	Pass
		Flat	Left	6.21	234.4	Pass
		Hemispherical	Left front	4.86	126.5	Pass
		Hemispherical	Right rear	4.83	101.7	Pass
Water Immersion No.4	469	Flat	Front	6.23	191.6	Pass
		Flat	Rear	6.30	195.9	Pass
		Hemispherical	Crown	4.79	90.8	Pass
		Hemispherical	Left	4.78	105.1	Pass
Ambient Condition No.5	465	Kerbston	Left front	4.79	100.3	Pass
High Temperature No.6	468	Kerbston	Left	4.78	116.5	Pass
Low Temperature No.7	473	Kerbston	Crown	4.85	117.4	Pass
Water Immersion No.8	470	Kerbston	Left rear	4.82	113.2	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Model: Kraken (TSG10-Y-FP)

Size: 54-56 cm

Head form: E ISO

HPI (from reference plane): 12 mm

Annex 1: Peripheral vision test

Test Specification: 16 CFR Ch.II (1-1-16 Edition) PART 1203.14

Ambient temperature at time of test: 23.5 °C

Condition	Horizontal vision	Result
Ambient No. 1	>105°	Pass

Annex 2: Positional stability test

Test Specification: 16 CFR Ch.II (1-1-16 Edition) PART 1203.15

Ambient temperature at time of test: 23.5 °C

Condition	Come off or not		Result
Ambient No. 5	From rear	Not come off	Pass
	From front	Not come off	Pass

Annex 3: Retention system strength

Test Specification: 16 CFR Ch.II (1-1-16 Edition) PART 1203.16

Ambient temperature at time of test: 23.5 °C

Condition	Elongation (mm)	Result
Ambient condition No.1	19.5	Pass
High temperature No.2	19.0	Pass
Low temperature No. 3	16.1	Pass
Water immersion No.4	17.2	Pass

Annex 4: Impact energy attenuation test

Test Specification: 16 CFR Ch.II (1-1-16 Edition) PART 1203.17

Ambient temperature at time of test: 23.5 °C

Condition	Sample Mass (g)	Anvil	Impact Loc.	Vel.-m/sec	Peak'G	Result
Ambient Condition No.1	511	Flat	Crown	6.23	271.5	Pass
		Flat	Left	6.24	219.7	Pass
		Hemispherical	Left front	4.82	112.2	Pass
		Hemispherical	Right rear	4.80	92.2	Pass
	503	Flat	Front	6.24	181.1	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

High Temperature No.2		Flat	Rear	6.25	201.1	Pass
		Hemispherical	Crown	4.76	116.0	Pass
		Hemispherical	Left	4.89	126.0	Pass
Low Temperature No.3	505	Flat	Crown	6.23	284.3	Pass
		Flat	Left	6.23	223.0	Pass
		Hemispherical	Left front	4.84	112.7	Pass
		Hemispherical	Right rear	4.75	95.1	Pass
Water Immersion No.4	500	Flat	Front	6.25	166.4	Pass
		Flat	Rear	6.24	184.9	Pass
		Hemispherical	Crown	4.75	115.1	Pass
		Hemispherical	Left	4.77	116.0	Pass
Ambient Condition No.5	507	Curbstone	Left front	4.78	100.3	Pass
High Temperature No.6	505	Curbstone	Left	4.80	122.2	Pass
Low Temperature No.7	499	Curbstone	Crown	4.81	126.0	Pass
Water Immersion No.8	501	Curbstone	Left rear	4.78	108.4	Pass

Model: Kraken (TSG10-Y-FP)

Size: 57-59 cm

Head form: J ISO

HPI (from reference plane): 13 mm

Annex 1: Peripheral vision test

Test Specification: 16 CFR Ch.II (1-1-16 Edition) PART 1203.14

Ambient temperature at time of test: 23.5 °C

Condition	Horizontal vision	Result
Ambient No. 1	>105°	Pass

Annex 2: Positional stability test

Test Specification: 16 CFR Ch.II (1-1-16 Edition) PART 1203.15

Ambient temperature at time of test: 23.5 °C

Condition	Come off or not		Result
Ambient No. 5	From rear	Not come off	Pass
	From front	Not come off	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC (China) Technical Services Co., Ltd.
Guangzhou Branch Testing Center Hierolines

198 Kazhu Road, Sciencetech Park Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075191 www.sgsgroup.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075191 e sgs.china@sgs.com

Annex 3: Retention system strength

Test Specification: 16 CFR Ch.II (1-1-16 Edition) PART 1203.16

Ambient temperature at time of test: 23.5 °C

Condition	Elongation (mm)	Result
Ambient condition No.1	17.7	Pass
High temperature No.2	16.7	Pass
Low temperature No. 3	15.1	Pass
Water immersion No.4	15.2	Pass

Annex 4: Impact energy attenuation test

Test Specification: 16 CFR Ch.II (1-1-16 Edition) PART 1203.17

Ambient temperature at time of test: 23.5 °C

Condition	Sample Mass (g)	Anvil	Impact Loc.	Vel.-m/sec	Peak'G	Result
Ambient Condition No.1	499	Flat	Crown	6.23	241.5	Pass
		Flat	Left	6.26	241.5	Pass
		Hemispherical	Left front	4.79	113.6	Pass
		Hemispherical	Right rear	4.80	100.8	Pass
High Temperature No.2	505	Flat	Front	6.25	216.8	Pass
		Flat	Rear	6.22	190.7	Pass
		Hemispherical	Crown	4.81	123.1	Pass
		Hemispherical	Left	4.81	132.2	Pass
Low Temperature No.3	500	Flat	Crown	6.25	252.0	Pass
		Flat	Left	6.25	244.9	Pass
		Hemispherical	Left front	4.80	115.5	Pass
		Hemispherical	Right rear	4.88	104.1	Pass
Water Immersion No.4	499	Flat	Front	6.25	200.6	Pass
		Flat	Rear	6.30	215.4	Pass
		Hemispherical	Crown	4.82	125.5	Pass
		Hemispherical	Left	4.80	126.5	Pass
Ambient Condition No.5	504	Curbstone	Left front	4.78	106.0	Pass
High Temperature No.6	501	Curbstone	Left	4.82	118.9	Pass
Low Temperature No.7	503	Curbstone	Crown	4.81	123.6	Pass
Water Immersion No.8	503	Curbstone	Left rear	4.81	104.1	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

198 Kazhu Road, Sciencetech Park Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075191 www.sgsgroup.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075191 e sgs.china@sgs.com

Sample Photo(s):

<p>Front view</p>	
<p>Side view</p>	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com





<p>Bottom view</p>	
<p>Labels</p>	<div style="display: flex; flex-wrap: wrap;"> <div style="width: 50%; border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <p>Brand/Marca/Marken/Marka: TSG Model/Modelo/Modèle/Modell: Kraken (TSG10-C-ZF) Manufactured/Fabricado/Produit/Hergestellt: 04/2021 Weight/Peso/Poids/Gewicht: 440g Size/Talla/Taille/Circonf.: S/M XS/S 52-54cm According/De conformidad con/Respectant/Entsprechend: CPSC Complies with U.S. CPSC Safety Standard for Bicycle Helmets for Persons Age 5 and Older CONFORME AUX NORMES DE SÉCURITÉ AMÉRICAINES DE LA CPSC POUR LES CASQUES DE CYCLISTE POUR PERSONNES DE 5 ANS ET PLUS Made in China by/Hecho en/Fabriqué en/China par/Hergestellt in China Manufacturer/Fabricante/Fabricant/Hersteller: Ningbo Tiang Technology Co.Ltd No.686 Hengzhan West Road, Beikou, Ningbo, Zhejiang, China 107225-LA Cienega Blvd Inglewood CA 90304 TEL:310-566-9495- 9497 TSG International AG EU Warehouse, Scheibenstrasse 3, 8923 Lauterach, Austria</p> </div> <div style="width: 50%; border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <p>LOT#72880844-04-20-21 MODEL#TSG10-C-ZF REF#20275</p> </div> <div style="width: 50%; border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <p> For use in non-motorized recreational sports such as Pedal Cycling, Skateboarding and Roller Skating.</p> </div> <div style="width: 50%; border: 1px solid black; padding: 5px;"> <p>LOT#72880846-04-20-21 MODEL#TSG10-Y-FP REF#20276</p> </div> <div style="width: 50%; border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <p>Brand/Marca/Marken/Marka: TSG Model/Modelo/Modèle/Modell: Kraken (TSG10-Y-FP) Manufactured/Fabricado/Produit/Hergestellt: 04/2021 Weight/Peso/Poids/Gewicht: 440g Size/Talla/Taille/Circonf.: S/M S4-S6cm According/De conformidad con/Respectant/Entsprechend: CPSC Complies with U.S. CPSC Safety Standard for Bicycle Helmets for Persons Age 5 and Older Made in China by/Hecho en/Fabriqué en/China par/Hergestellt in China Manufacturer/Fabricante/Fabricant/Hersteller: Ningbo Tiang Technology Co.Ltd No.686 Hengzhan West Road, Beikou, Ningbo, Zhejiang, China 107225-LA Cienega Blvd Inglewood CA 90304 TEL:310-566-9495- 9497 TSG International AG EU Warehouse, Scheibenstrasse 3, 8923 Lauterach, Austria</p> </div> <div style="width: 50%; border: 1px solid black; padding: 5px;"> <p>Brand/Marca/Marken/Marka: TSG Model/Modelo/Modèle/Modell: Kraken (TSG10-Y-FP) Manufactured/Fabricado/Produit/Hergestellt: 04/2021 Weight/Peso/Poids/Gewicht: 440g Size/Talla/Taille/Circonf.: LXL 57-58cm According/De conformidad con/Respectant/Entsprechend: CPSC Complies with U.S. CPSC Safety Standard for Bicycle Helmets for Persons Age 5 and Older CONFORME AUX NORMES DE SÉCURITÉ AMÉRICAINES DE LA CPSC POUR LES CASQUES DE CYCLISTE POUR PERSONNES DE 5 ANS ET PLUS Made in China by/Hecho en/Fabriqué en/China par/Hergestellt in China Manufacturer/Fabricante/Fabricant/Hersteller: Ningbo Tiang Technology Co.Ltd No.686 Hengzhan West Road, Beikou, Ningbo, Zhejiang, China 107225-LA Cienega Blvd Inglewood CA 90304 TEL:310-566-9495- 9497 TSG International AG EU Warehouse, Scheibenstrasse 3, 8923 Lauterach, Austria</p> </div> <div style="width: 50%; border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <p>WARNING: Intend for pedal bicycles, skateboards or roller skates. For adequate protection, this helmet has to fit or be adjusted to the size of the wearer's head in accordance with our fitting instructions. No helmet can protect against all possible impacts and that serious injury or death could occur. This helmet is designed to help protect from bumps, scratches and concussion. This helmet is designed to absorb shock by partial deformation or damage to the shell and the strips. This damage may not be visible to the user. Any helmet subjected to severe impact should be replaced. Do not modify or remove or replace component parts of your helmet or add any adjustments, other than as recommended by TSG. The helmet may be damaged by acids, solvent, bleach or strong detergents. For cleaning use only substances that have no adverse effect on the helmet or upon the wearer. Follow instruction in the user manual. Warning! This helmet should not be used by children while driving or doing other activities when there is a risk of emergencybraking if the child gets trapped with the helmet.</p> </div> <div style="width: 50%; border: 1px solid black; padding: 5px;"> <p>Heute für Radfahrer, Skateboarder und Rollschuhfahrer. Für einen ausreichenden Schutz muss dieser Helm passen oder an die Kopfgröße des Benutzers angepasst werden. Dieser Helm wurde entwickelt, um vor Stößen, Kratzern und Erschütterungen zu schützen. Dieser Helm absorbiert Schläge durch die teilweise Zerstörung der Schale und des Gurtstraps. Diese Beschädigung ist möglicherweise nicht sichtbar. Jeder Helm, der starken Stößen ausgesetzt wurde, sollte ersetzt werden. Modifizieren oder entfernen keine Komponenten des Helms und tun keine Änderungen, die von den TSG-Empfehlungen abweichend sind. Der Helm kann durch Säuren, Lösungsmittel, Bleichmittel oder starke Reinigungsmittel beschädigt werden. Verwenden Sie zur Reinigung nur Substanzen, die keine schädlichen Auswirkungen auf den Helm oder den Träger haben. Folge den Anweisungen in der Bedienungsanleitung. Warnung! Dieser Helm sollte nicht durch Kinder beim Fahren oder anderen Aktivitäten verwendet werden, wenn ein Risiko besteht, sich zu strapazierfähigen zu verletzen, falls sich das Kind mit dem Helm verfangt.</p> </div> <div style="width: 50%; border: 1px solid black; padding: 5px;"> <p>ATTENTION: Casco para ciclistas y para usuarios de monopatines y patines de ruedas. Para una protección adecuada, este casco debe encajar o ser ajustado al tamaño de la cabeza del usuario. Este casco está diseñado para ayudar a proteger contra golpes, arañazos y concusión cerebral. Este casco está diseñado para absorber los impactos mediante la deformación parcial o el daño en la cáscara y las cintas. Este daño puede no ser visible para el usuario. Cualquier casco sometido a un impacto severo debe ser reemplazado. No modifique ni quite ningún componente original de su casco ni agregue ningún accesorio que no sea el recomendado por TSG. El casco puede resultar dañado por ácidos, disolventes, blanqueadores o detergentes fuertes. Para la limpieza utilizar únicamente sustancias que no tengan ningún efecto adverso sobre el casco o el usuario. Siga las instrucciones del manual de usuario. Advertencia! Este casco no debe utilizarse por niños al conducir o al hacer otras actividades que presenten un riesgo de frenado de emergencia si el niño queda atrapado por el casco.</p> </div> </div>



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


198 Kazhu Road, Scientech Park Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075191 www.sgs.com
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075191 e sgs.china@sgs.com

<p>Package</p>	
<p>Instruction</p>	 <p>Supporting the sport is our obsession. Protecting the rider our top priority. Looking for innovation and leadership our passion. Since 1988 we create the perfect gear for our riding experience - and for yours.</p> <p>ridetsg.com</p> <p>DESIGNED IN SWITZERLAND // MADE IN CHINA</p> <p>Models covered by this information:</p> <p>Evolution, Evolution Youth, Evolution Wmn Standards: EN1078, CPSC, ASTM F1492</p> <p>Cadete, Chatter, Dawn, Dawn Flex, Evolution Asian Fit, Krakon, Meta, Pepper, Scope, Scope Mips, Seek, Seek FR, Seek Youth FR, Skate/BMX, Status, Superlight Standards: EN1078, CPSC</p> <p>Nipper Maxi, Nipper Mini, Ivy Standards: GS (Tested Safety), EN1078, CPSC</p> <p>Dawn Wake Standard: EN 1385</p> <p>GS Certification: TUV SUD Product Service GmbH Ridlerstraße 65 80339 München Notified Body No. 0123</p> <p>CPSC Certification: Southern Impact Research Center, LLC 304 Dunavant Drive Rockwood, TN 37853, USA AZLA Certificate No. 1412.01</p> <p>CE EU Type Examination: Allenor Certification Zone du Samit 21 Rue Albert Einstein 86100 Châtellerauff, France Notified Body No. 2754</p> <p>ASTM Examination: SGS Fimko Oy Tukomitie 8, FI-00380 Helsinki, Finland Notified Body No. 0598</p> <p>OWNER'S MANUAL SKATE/BIKE/WAKE HELMET</p>







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

<p>Instruction</p>	<p>OWNER'S MANUAL SKATE/BIKE/WAKE HELMET</p> <p>Thank you. You have chosen a TSG safety product designed especially for action sport athletes and urban bikers. Please read the following information carefully. Correctly used and cared for, it will keep you better protected and satisfied.</p> <p>TESTING AND APPROVAL TSG helmets have been tested against the manufacturer's specifications and EU Type-Examination certification has been issued by the test laboratory mentioned on page 2.</p> <p>The helmets are CE marked to denote compliance with the Personal Protective Equipment Regulation (EU) 2016/425.</p> <p>One or more of the following European and North American Standards have been used in the evaluation of this product:</p> <ul style="list-style-type: none"> - EN 1078. Helmets for pedal cyclists and for users of skateboards and roller skates - EN 1385. Helmets for canoeing and white water sports - GS (Geprüfte Sicherheit/ Tested Safety) - CPSC: Standard safety requirements of the Consumer Product Safety Commission. Complies with CPSC Safety Standard for Bicycle Helmets for Adults and Children Age 5 and older. <p>There must be a clearly visible marking on every approved helmet and this may not be removed.</p> <p>Find the official EU declaration of conformity for each model on our website: https://www.ridetsg.com/service/declaration-of-conformity/</p> <p>USE Helmets conform to EN 1078: Helmet for pedal cyclists and for users of skateboards and roller skates. For use in non-motorized recreational sports only.</p> <p>Helmets conform to EN 1385: Helmets for canoeing and white water sports, such as wakeboarding and kitesurfing. They are not intended for use in white waters of classes 5 and 6, as defined by the International Union of Canoeing.</p> <p>ENGLISH - 5</p> <p>CONTENT</p> <table border="0"> <tr><td>ENGLISH</td><td>5</td></tr> <tr><td>DEUTSCH</td><td>13</td></tr> <tr><td>FRANÇAIS</td><td>21</td></tr> <tr><td>ESPAÑOL</td><td>29</td></tr> <tr><td>PORTUGUÊS</td><td>37</td></tr> <tr><td>ITALIANO</td><td>45</td></tr> <tr><td>NEDERLANDS</td><td>53</td></tr> <tr><td>ČESKY</td><td>61</td></tr> <tr><td>SLOVAK</td><td>69</td></tr> <tr><td>POLSKI</td><td>77</td></tr> <tr><td>MAGYAR</td><td>85</td></tr> <tr><td>DANSK</td><td>93</td></tr> <tr><td>NORSK</td><td>101</td></tr> <tr><td>SVENSKA</td><td>109</td></tr> <tr><td>БЪЛГАРСКИ</td><td>117</td></tr> <tr><td>ΕΛΛΗΝΙΚΑ</td><td>125</td></tr> <tr><td>РУССКИЙ</td><td>133</td></tr> <tr><td>한국어</td><td>141</td></tr> <tr><td>中文</td><td>149</td></tr> <tr><td>日本語</td><td>155</td></tr> <tr><td>HELMET PADS & SIZING CHART</td><td>164</td></tr> </table>	ENGLISH	5	DEUTSCH	13	FRANÇAIS	21	ESPAÑOL	29	PORTUGUÊS	37	ITALIANO	45	NEDERLANDS	53	ČESKY	61	SLOVAK	69	POLSKI	77	MAGYAR	85	DANSK	93	NORSK	101	SVENSKA	109	БЪЛГАРСКИ	117	ΕΛΛΗΝΙΚΑ	125	РУССКИЙ	133	한국어	141	中文	149	日本語	155	HELMET PADS & SIZING CHART	164
ENGLISH	5																																										
DEUTSCH	13																																										
FRANÇAIS	21																																										
ESPAÑOL	29																																										
PORTUGUÊS	37																																										
ITALIANO	45																																										
NEDERLANDS	53																																										
ČESKY	61																																										
SLOVAK	69																																										
POLSKI	77																																										
MAGYAR	85																																										
DANSK	93																																										
NORSK	101																																										
SVENSKA	109																																										
БЪЛГАРСКИ	117																																										
ΕΛΛΗΝΙΚΑ	125																																										
РУССКИЙ	133																																										
한국어	141																																										
中文	149																																										
日本語	155																																										
HELMET PADS & SIZING CHART	164																																										
<p>Instruction</p>	<p>WARNING This helmet should not be used by children while climbing or doing other activities when there is a risk of strangulation/hanging if the child gets trapped with the helmet. It is important that the helmet fits your head properly and that it is correctly buckled. While no helmet can prevent all head injuries, use of a helmet, taking lessons, riding responsibly and within your abilities, and common sense, can together significantly reduce the risk of catastrophic head injury and death. However, accidents, serious injuries or death can occur even if the helmet is properly used. TSG makes no claim that this helmet will eliminate all possibilities of injury. This helmet is designed to absorb shock by partial destruction of the energy absorbing liner. This damage may not be visible to the user. Therefore, if subjected to a severe impact or blow, the helmet should be destroyed and replaced even if it appears undamaged. A helmet can only provide a level of protection for areas that it covers. It does not protect your neck. Do not make any attachments to this helmet, other than those recommended by the manufacturer. Doing so voids all warranties and affect the helmet's performance. The helmet may be damaged by paints, solvent, bleaches or strong detergents, sometimes invisibly. For use in non-motorized recreational sports such as pedal cycling, skateboarding and roller skating only.</p> <p>CLEANING Wipe only with a soft damp cloth in gentle soap or mild detergent in cold water, rinse by wiping with a soft cloth damped in cold water and dry with a soft cloth. Comfort padding can be removed and hand washed and air dried. Common substances applied to this product (solvent, cleaners, hair tonics, paint, adhesives etc.) can cause damage that may be invisible to the user and compromise the effectiveness/safety of your TSG helmet.</p> <p>STORAGE AND TRANSPORTATION Do not expose your helmet to impact or external force during transport. Store it in a dry place away from any source of heat like a hot radiator or sunshine through a car window. If your helmet melts it is not covered by our warranty.</p> <p>MAINTENANCE AND OBSOLESCENCE For maximum performance, your TSG product must be inspected prior to each use. Stop using the helmet if any components show signs of damage or are worn, cracked, and/or deformed, or if the inside foam has deteriorated. Helmets have a limited life span in use and should be replaced every 3-5 years under normal use conditions, but at the latest after 8 years from date of manufacture (see product label). If you know or suspect that your helmet has been damaged or exposed to any abnormal force, destroy and replace it. Please dispose of it in an environmentally-friendly manner. Do not make any modifications to the helmet, this includes the outer shell, the inner EPS liner or chin strap, any modifications will void all warranties and affect the helmet's performance.</p> <p>FITTING INSTRUCTIONS In order to fulfill its protective function, your helmet must be perfectly adjusted to your head. Measure your head at its widest point, compare it to the sizing chart available on a label inside the helmet, and try on several sizes until you find the correct fit that stays on comfortably, steadily and securely.</p> <p>PLEASE CONSIDER THE FOLLOWING GUIDELINES FOR A PROPER FIT OF THE HELMET.</p> <ol style="list-style-type: none"> Put on the helmet in a manner so that it sits straight on your head and covers your forehead, without blocking your vision. It is important that the helmet can neither ride up your forehead nor be pushed down over your eyes. The helmet should fit comfortably, so that it holds onto your head as you move it front and back, as well as side-to-side. The comfort pads inside the helmet should exert firm, even, but comfortable pressure against your head. The helmet fits well if the pads are in contact with all sides of your head around the helmets interior. A helmet that fits well also fits comfortably without being too tight. When you are satisfied with the fit, tighten the chin strap so it fits snug and make sure the buckle locks securely and that the straps do not slip. If your straps aren't adjusted right, your helmet won't stay on properly. The loose ends of the strap must loop back up through the rubber "D" ring. To adjust the position of the straps, hold one end of the chin buckle in one hand and slide the adjuster up or down the strap as necessary, to create a balanced and even "Y" shape underneath the ears. Position the buckle away from your jaw bone. It should not be possible to remove the helmet without opening the chin strap. If you can roll the helmet off in front or back, or roll it so it blocks your vision or exposes your forehead, it does not fit correctly and should be re-adjusted. <p>ENGLISH - 7</p> 																																										



<p>Instruction</p>	<p>HOW TO CUSTOMIZE YOUR FIT Our Tuned Fit System allows you to dial in your fit using different thickness comfort pads on the interior of the helmet. Your helmet comes with two sizes of comfort pads. Carefully separate the Velcro strips at room temperature to remove the pads on the inside of the helmet and swap them for the thickness you need. Your helmet package contains spare fastening points in case one of the Velcro fastening points becomes detached. If the helmet still does not fit after having adjusted it with the pads, choose another size. Comfort pads can be purchased separately in all the various sizes.</p> <p>ENGLISH</p> <p>HELMETS WITH FLEXTECH INNER-SHELL If you have purchased a TSG helmet with FlexTech Technology, you will note the inner shell of your helmet consists of several EPS foam segments which are connected with a strong nylon webbing tape. These individual segments are slightly adjustable and therefore adapt perfectly to your head shape. Our FlexTech Technology increases comfort, whilst completely fulfilling all legal norms regarding design and impact protection.</p> <p>HELMETS WITH DIAL-FIT SYSTEM If you have purchased a TSG helmet with Dial-Fit System, you can size adjust your helmet by dial. To tighten the dial, turn it clockwise to a comfortable fit. To loosen, turn the dial counterclockwise. The fit should be snug, but not uncomfortably tight. Be sure to check the adjustment of your helmet before each ride. The Dial Fit System is designed to enhance the fit and stability of your helmet. It is not a replacement for your helmet's straps. Do not attempt to remove the fit system from your helmet; doing so will void all of the helmet's warranties.</p> <p>You can adjust the fit tension of the TSG Scope helmet additionally by moving the dial system forward or backwards. You must remove the helmet and move the lateral snap anchor on each side forward or back to adjust the fit as needed.</p>  <p>You can adjust the fit even more on dial-fit systems that offer height adjustment (not a feature of all systems). Height adjustment allows the helmet's forehead tilt to be optimized. Simply change the system's center arm position (at the back of the helmet) by pulling the pins out from the inside of the helmet and snapping them back up or down to the desired position. Experiment until you get a fit that is most comfortable.</p> <p>ENGLISH - 8</p>  <p>For safety reasons, we recommend that you do not attempt to adjust the fit of a helmet while you are riding.</p> <p>MIPS® If your helmet is equipped with MIPS® you profit from a unique technology developed to reduce brain injuries caused by rotational impacts to the head. Learn more about MIPS by reading the MIPS brochure enclosed in your helmet box or visit: http://mipsprotection.com.</p> <p>HELMETS WITH REMOVABLE VISOR SCREWED VISORS If your helmet visor comes with side screws, open the screws on the visor, then remove the visor.</p> <p>SNAP-FIT VISORS Carefully pull the ends of the visor loose from the helmet and then lift away from the helmet. If your visor is fixed to the helmet with the help of single pins, use a non-sharp screwdriver (between pin and visor) to carefully remove the pins at the ends of the visor and lift the visor away from the helmet. To replace the visor, center it on the helmet, position the middle pins (if provided) into the holes and then snap the pins on the side of the visor into the holes in the helmet (Fig. 1). Depending on the model your visor offers 3 degrees of vertical angle adjustment: simply tilt the visor up or down to the desired position (Fig. 2). Some models don't feature adjustable visors. Caution: DO NOT try to remove the visor by pulling forward on the centre. This will damage the helmet and the visor.</p>  <p>ENGLISH - 9</p>
<p>Instruction</p>	<p>HELMETS WITH LED LIGHT To remove the LED light push it out of the helmet from the inside with the help of a pen (Fig. 1). To replace the LED light snap the pins on the LED light into the holes in the helmet (Fig. 2). To replace the battery on your LED light, remove the two screws at the base of the light, remove the cover and the circuit. At the back of the circuit push the battery out with non-sharp tool. Insert a new battery with + sign up. Put the circuit and finally the cover back in and close the screws.</p> <p>Battery included: Lithium Cell CR2032.</p>  <p>ENGLISH</p> <p>SUBSTANCES TSG helmets are made of high-tech materials for optimal functionality. Our durable hard shell helmets are made of ABS, PC or PP plastic, depending of your helmet model. Our super light In-mold helmets use a thin in-mold PC shell. All helmets use a core of impact absorbing EPS. None of the materials used in the construction of the product are known to contain anything that might cause an allergic reaction or be dangerous to health.</p> <p>WARRANTY TSG International AG warrants that this product is free of manufacturing defects in material and workmanship when it is delivered to our dealers. Unless otherwise stipulated by local law, this warranty is limited to two years from the date of purchase and is limited to the original purchaser. This warranty does not apply in the event of abuse, negligence, carelessness or modification, or if the product is used in any way other than is intended. Nor is any attempted repair or replacement with any part or accessory other than original TSG parts and products covered by the terms of this warranty. This warranty takes precedence over any other agreements or warranties, general or special, expresses or implied and no representative or person is authorized to assume liability on behalf of TSG in connection with the sale</p> <p>or use of this product. TSG makes no other expressed warranties, except as otherwise specifically stated. TSG waives all responsibility for any third party for consequences that might result from the use or handling of any TSG product by any legal or natural person.</p> <p>HOW TO MAKE A WARRANTY CLAIM If your TSG safety product is found to be defective in materials or workmanship TSG warrants your safety product for two years from the date of purchase and we will, at our sole option, either repair or replace your safety product free of charge. Just take your safety product to the dealer from which it was purchased, with a letter indicating the specific reason for which you are returning the product, and proof of purchase. The dealer will then evaluate the claim.</p> <p>ENGLISH - 10</p> <p>ENGLISH - 11</p>




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC (Shanghai) Technical Services Co., Ltd.
Guangzhou Branch Testing Center Hierolines

198 Kazhu Road, Scientech Park Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075191 www.sgs.com
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075191 e sgs.china@sgs.com






<p>Instruction</p>	<h3>HELMET PADS SIZING OVERVIEW</h3> <p>Your helmet comes with two sizes of comfort pad kits*. This overview helps you to determine the right pad kit for your head size.</p> <table border="1"> <thead> <tr> <th>SIZE</th> <th>PAD COLOR</th> <th>HELMET MODEL</th> </tr> </thead> <tbody> <tr> <td>JXXS</td> <td>yellow</td> <td>arctic nipper mini, nipper mini, meta</td> </tr> <tr> <td>JXS</td> <td>red</td> <td>arctic nipper mini, nipper mini, meta</td> </tr> <tr> <td>XXXS</td> <td>navy</td> <td>arctic nipper maxi, nipper maxi</td> </tr> <tr> <td>XXS</td> <td>purple</td> <td>arctic nipper maxi, nipper maxi, evolution youth, gravity youth, kraken XXS, meta, evolution wmn, ixy, lotus, coma</td> </tr> <tr> <td>XS</td> <td>blue</td> <td>arctic nipper maxi, nipper maxi, evolution youth, gravity youth, kraken XXS, meta, evolution wmn, ixy, lotus, coma</td> </tr> <tr> <td>S</td> <td>orange</td> <td>skate/bmx, evolution, evolution wmn, evolution asian fit, superlight, recon, meta, kraken, dawn, dawn flex, dawn wakeboard, scope, scope nippo, trailfit, status, gravity, gravity asian fit, arctic dawn, trophy, arctic kraken, lotus, vertice, vertice wmn, fly, fly asian fit</td> </tr> <tr> <td>M</td> <td>neon</td> <td>skate/bmx, evolution, evolution wmn, evolution asian fit, superlight, recon, meta, kraken, dawn, dawn flex, dawn wakeboard, scope, scope nippo, trailfit, status, gravity, gravity asian fit, arctic dawn, trophy, arctic kraken, lotus, vertice, vertice wmn, fly, fly asian fit</td> </tr> <tr> <td>L</td> <td>green</td> <td>skate/bmx, evolution, evolution wmn, evolution asian fit, superlight, recon, meta, kraken, dawn, dawn flex, dawn wakeboard, scope, scope nippo, trailfit, status, gravity, gravity asian fit, arctic dawn, trophy, arctic kraken, lotus, vertice, vertice wmn, fly, fly asian fit</td> </tr> <tr> <td>XL</td> <td>cement grey</td> <td>skate/bmx, evolution, evolution wmn, evolution asian fit, superlight, recon, meta, kraken, dawn, dawn flex, dawn wakeboard, scope, scope nippo, trailfit, status, gravity, gravity asian fit, arctic dawn, trophy, arctic kraken, lotus, vertice, vertice wmn, fly, fly asian fit</td> </tr> <tr> <td>XXL</td> <td>black</td> <td>evolution XXL, superlight XXL, meta XXL, gravity XXL, fly asian fit XXL</td> </tr> <tr> <td>XXXL</td> <td>stone grey</td> <td>evolution XXL, superlight XXL, meta XXL, gravity XXL, fly asian fit XXL</td> </tr> <tr> <td>XXXXL</td> <td>cold grey</td> <td>evolution XXL, superlight XXL, meta XXL, gravity XXL, fly asian fit XXL</td> </tr> </tbody> </table> <p>164 - HELMET PADS SIZING OVERVIEW</p>	SIZE	PAD COLOR	HELMET MODEL	JXXS	yellow	arctic nipper mini, nipper mini, meta	JXS	red	arctic nipper mini, nipper mini, meta	XXXS	navy	arctic nipper maxi, nipper maxi	XXS	purple	arctic nipper maxi, nipper maxi, evolution youth, gravity youth, kraken XXS, meta, evolution wmn, ixy, lotus, coma	XS	blue	arctic nipper maxi, nipper maxi, evolution youth, gravity youth, kraken XXS, meta, evolution wmn, ixy, lotus, coma	S	orange	skate/bmx, evolution, evolution wmn, evolution asian fit, superlight, recon, meta, kraken, dawn, dawn flex, dawn wakeboard, scope, scope nippo, trailfit, status, gravity, gravity asian fit, arctic dawn, trophy, arctic kraken, lotus, vertice, vertice wmn, fly, fly asian fit	M	neon	skate/bmx, evolution, evolution wmn, evolution asian fit, superlight, recon, meta, kraken, dawn, dawn flex, dawn wakeboard, scope, scope nippo, trailfit, status, gravity, gravity asian fit, arctic dawn, trophy, arctic kraken, lotus, vertice, vertice wmn, fly, fly asian fit	L	green	skate/bmx, evolution, evolution wmn, evolution asian fit, superlight, recon, meta, kraken, dawn, dawn flex, dawn wakeboard, scope, scope nippo, trailfit, status, gravity, gravity asian fit, arctic dawn, trophy, arctic kraken, lotus, vertice, vertice wmn, fly, fly asian fit	XL	cement grey	skate/bmx, evolution, evolution wmn, evolution asian fit, superlight, recon, meta, kraken, dawn, dawn flex, dawn wakeboard, scope, scope nippo, trailfit, status, gravity, gravity asian fit, arctic dawn, trophy, arctic kraken, lotus, vertice, vertice wmn, fly, fly asian fit	XXL	black	evolution XXL, superlight XXL, meta XXL, gravity XXL, fly asian fit XXL	XXXL	stone grey	evolution XXL, superlight XXL, meta XXL, gravity XXL, fly asian fit XXL	XXXXL	cold grey	evolution XXL, superlight XXL, meta XXL, gravity XXL, fly asian fit XXL																																																																											
SIZE	PAD COLOR	HELMET MODEL																																																																																																																	
JXXS	yellow	arctic nipper mini, nipper mini, meta																																																																																																																	
JXS	red	arctic nipper mini, nipper mini, meta																																																																																																																	
XXXS	navy	arctic nipper maxi, nipper maxi																																																																																																																	
XXS	purple	arctic nipper maxi, nipper maxi, evolution youth, gravity youth, kraken XXS, meta, evolution wmn, ixy, lotus, coma																																																																																																																	
XS	blue	arctic nipper maxi, nipper maxi, evolution youth, gravity youth, kraken XXS, meta, evolution wmn, ixy, lotus, coma																																																																																																																	
S	orange	skate/bmx, evolution, evolution wmn, evolution asian fit, superlight, recon, meta, kraken, dawn, dawn flex, dawn wakeboard, scope, scope nippo, trailfit, status, gravity, gravity asian fit, arctic dawn, trophy, arctic kraken, lotus, vertice, vertice wmn, fly, fly asian fit																																																																																																																	
M	neon	skate/bmx, evolution, evolution wmn, evolution asian fit, superlight, recon, meta, kraken, dawn, dawn flex, dawn wakeboard, scope, scope nippo, trailfit, status, gravity, gravity asian fit, arctic dawn, trophy, arctic kraken, lotus, vertice, vertice wmn, fly, fly asian fit																																																																																																																	
L	green	skate/bmx, evolution, evolution wmn, evolution asian fit, superlight, recon, meta, kraken, dawn, dawn flex, dawn wakeboard, scope, scope nippo, trailfit, status, gravity, gravity asian fit, arctic dawn, trophy, arctic kraken, lotus, vertice, vertice wmn, fly, fly asian fit																																																																																																																	
XL	cement grey	skate/bmx, evolution, evolution wmn, evolution asian fit, superlight, recon, meta, kraken, dawn, dawn flex, dawn wakeboard, scope, scope nippo, trailfit, status, gravity, gravity asian fit, arctic dawn, trophy, arctic kraken, lotus, vertice, vertice wmn, fly, fly asian fit																																																																																																																	
XXL	black	evolution XXL, superlight XXL, meta XXL, gravity XXL, fly asian fit XXL																																																																																																																	
XXXL	stone grey	evolution XXL, superlight XXL, meta XXL, gravity XXL, fly asian fit XXL																																																																																																																	
XXXXL	cold grey	evolution XXL, superlight XXL, meta XXL, gravity XXL, fly asian fit XXL																																																																																																																	
<p>Instruction</p>	<h3>HELMET SIZING CHART</h3>  <p>To measure your head circumference simply wrap a measuring tape around your head, just above eyebrows. Note your size at the point of overlap.</p> <p>To work properly a helmet must fit right. TSG makes helmets in many sizes. We have different helmet shell sizes and shapes to fit all types of head shapes and sizes. Each shell size can be fine tuned with interior fit pads of various sizes and/or a sizing dial.</p> <table border="1"> <thead> <tr> <th>MODEL</th> <th>JXXS/JXS</th> <th>XXS/XS</th> <th>S/M</th> <th>L/XL</th> <th>XXL</th> </tr> </thead> <tbody> <tr> <td>Chatter</td> <td>-</td> <td>-</td> <td>54-58 cm 21.3-22.8"</td> <td>58-62 cm 22.8-24.4"</td> <td>-</td> </tr> <tr> <td>Dawn / Dawn Flex Dawn Wakeboard</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> </tr> <tr> <td>Pepper</td> <td>-</td> <td>-</td> <td>54-56 cm 21.3-22.0"</td> <td>57-59 cm 22.4-23.2"</td> <td>-</td> </tr> <tr> <td>Scope</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> </tr> <tr> <td>Skate/BMX Status</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> </tr> <tr> <td>Evolution</td> <td>-</td> <td>-</td> <td>54-56 cm 21.3-22.0"</td> <td>57-59 cm 22.4-23.2"</td> <td>59-61 cm 23.2-24"</td> </tr> <tr> <td>Superlight</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> </tr> <tr> <td>Evolution Asian Fit</td> <td>-</td> <td>-</td> <td>55-57 cm 21.7-22.4"</td> <td>58-60 cm 22.8-23.6"</td> <td>-</td> </tr> <tr> <td>Meta</td> <td>48-61 cm 18.9-20.1"</td> <td>52-54 cm 20.4-20.9"</td> <td>54-57 cm 21.3-22.4"</td> <td>58-60 cm 22.8-23.6"</td> <td>Asian fit 61-63 cm 24-24.8"</td> </tr> <tr> <td>Evolution Wmn</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> </tr> <tr> <td>Kraken</td> <td>-</td> <td>52-54 cm 20.4-21.3"</td> <td>54-56 cm 21.3-22.0"</td> <td>57-59 cm 22.4-23.2"</td> <td>-</td> </tr> <tr> <td>Seek</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> </tr> <tr> <td>Evolution Youth</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> </tr> <tr> <td>Ixy</td> <td>-</td> <td>52-54 cm 20.4-21.3"</td> <td>-</td> <td>-</td> <td>-</td> </tr> <tr> <td>Seek Youth FR</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> </tr> <tr> <td>Nipper Maxi</td> <td>-</td> <td>51-54 cm 20.1-21.3"</td> <td>-</td> <td>-</td> <td>-</td> </tr> <tr> <td>Cadete</td> <td>-</td> <td>51-56 cm 20.1-22"</td> <td>-</td> <td>-</td> <td>-</td> </tr> <tr> <td>Nipper Mini</td> <td>48-61 cm 18.9-20.1"</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> </tr> </tbody> </table> <p>166 - SIZING CHART</p>	MODEL	JXXS/JXS	XXS/XS	S/M	L/XL	XXL	Chatter	-	-	54-58 cm 21.3-22.8"	58-62 cm 22.8-24.4"	-	Dawn / Dawn Flex Dawn Wakeboard	-	-	-	-	-	Pepper	-	-	54-56 cm 21.3-22.0"	57-59 cm 22.4-23.2"	-	Scope	-	-	-	-	-	Skate/BMX Status	-	-	-	-	-	Evolution	-	-	54-56 cm 21.3-22.0"	57-59 cm 22.4-23.2"	59-61 cm 23.2-24"	Superlight	-	-	-	-	-	Evolution Asian Fit	-	-	55-57 cm 21.7-22.4"	58-60 cm 22.8-23.6"	-	Meta	48-61 cm 18.9-20.1"	52-54 cm 20.4-20.9"	54-57 cm 21.3-22.4"	58-60 cm 22.8-23.6"	Asian fit 61-63 cm 24-24.8"	Evolution Wmn	-	-	-	-	-	Kraken	-	52-54 cm 20.4-21.3"	54-56 cm 21.3-22.0"	57-59 cm 22.4-23.2"	-	Seek	-	-	-	-	-	Evolution Youth	-	-	-	-	-	Ixy	-	52-54 cm 20.4-21.3"	-	-	-	Seek Youth FR	-	-	-	-	-	Nipper Maxi	-	51-54 cm 20.1-21.3"	-	-	-	Cadete	-	51-56 cm 20.1-22"	-	-	-	Nipper Mini	48-61 cm 18.9-20.1"	-	-	-	-
MODEL	JXXS/JXS	XXS/XS	S/M	L/XL	XXL																																																																																																														
Chatter	-	-	54-58 cm 21.3-22.8"	58-62 cm 22.8-24.4"	-																																																																																																														
Dawn / Dawn Flex Dawn Wakeboard	-	-	-	-	-																																																																																																														
Pepper	-	-	54-56 cm 21.3-22.0"	57-59 cm 22.4-23.2"	-																																																																																																														
Scope	-	-	-	-	-																																																																																																														
Skate/BMX Status	-	-	-	-	-																																																																																																														
Evolution	-	-	54-56 cm 21.3-22.0"	57-59 cm 22.4-23.2"	59-61 cm 23.2-24"																																																																																																														
Superlight	-	-	-	-	-																																																																																																														
Evolution Asian Fit	-	-	55-57 cm 21.7-22.4"	58-60 cm 22.8-23.6"	-																																																																																																														
Meta	48-61 cm 18.9-20.1"	52-54 cm 20.4-20.9"	54-57 cm 21.3-22.4"	58-60 cm 22.8-23.6"	Asian fit 61-63 cm 24-24.8"																																																																																																														
Evolution Wmn	-	-	-	-	-																																																																																																														
Kraken	-	52-54 cm 20.4-21.3"	54-56 cm 21.3-22.0"	57-59 cm 22.4-23.2"	-																																																																																																														
Seek	-	-	-	-	-																																																																																																														
Evolution Youth	-	-	-	-	-																																																																																																														
Ixy	-	52-54 cm 20.4-21.3"	-	-	-																																																																																																														
Seek Youth FR	-	-	-	-	-																																																																																																														
Nipper Maxi	-	51-54 cm 20.1-21.3"	-	-	-																																																																																																														
Cadete	-	51-56 cm 20.1-22"	-	-	-																																																																																																														
Nipper Mini	48-61 cm 18.9-20.1"	-	-	-	-																																																																																																														



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

198 Kazhu Road, Sciencetech Park Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075191 www.sgs.com.cn
 中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075191 e sgs.china@sgs.com

<p>Instruction</p>	 <p>SKATEBOARDER HELMET OWNER'S MANUAL CR2020 ©2020 TSG INTERNATIONAL AG. All rights reserved.</p> <p>HEADQUARTER: TSG INTERNATIONAL AG BÜLACHSTRASSE 5 8057 ZÜRICH SWITZERLAND</p> <p>FON +41 (0)43 960 17 41 FAX +41 (0)43 960 17 50 EML INFO@RIDETSG.COM WEB RIDETSG.COM</p> <p>EUROPE: TSG INTERNATIONAL AG EU WAREHOUSE SCHEIBENSTRASSE 3 6923 LAUTERACH AUSTRIA</p> <p>WORLDWIDE: TO FIND A CURRENT DISTRIBUTOR IN YOUR COUNTRY, PLEASE VISIT US ONLINE AT RIDETSG.COM</p> 	 <p>SKATEBOARDER HELMET OWNER'S MANUAL CR2020 ©2020 TSG INTERNATIONAL AG. All rights reserved.</p> <p>HEADQUARTER: TSG INTERNATIONAL AG BÜLACHSTRASSE 5 8057 ZÜRICH SWITZERLAND</p> <p>FON +41 (0)43 960 17 41 FAX +41 (0)43 960 17 50 EML INFO@RIDETSG.COM WEB RIDETSG.COM</p> <p>EUROPE: TSG INTERNATIONAL AG EU WAREHOUSE SCHEIBENSTRASSE 3 6923 LAUTERACH AUSTRIA</p> <p>WORLDWIDE: TO FIND A CURRENT DISTRIBUTOR IN YOUR COUNTRY, PLEASE VISIT US ONLINE AT RIDETSG.COM</p> 
<p>Front test line for (E) ISO</p>		



Side test line for (E) ISO



Rear test line for (E) ISO



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

<p>Front test line for (E) ISO</p>	
<p>Side test line for (E) ISO</p>	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

<p>Rear test line for (E) ISO</p>	
<p>Front test line for (J) ISO</p>	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Side test line for (J) ISO



Rear test line for (J) ISO



End of Report



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com